



Standen Delta Rotary Tiller Series

Delta E120	Total Width	Working Width	Side- Shift	Min Suggested horsepower	Weight	No. of Blades
	cm	cm	cm-cm	HP/KW	Kg	No.
155	182	160	80-80	60/44	600	36
180	207	185	92-93	70/51	650	42
205	232	210	105- 105	75/55	690	48
230	257	235	117- 1118	80/59	733	54
255	282	260	130- 130	85/62	770	60
280	307	285	142- 143	90/66	800	66
305	332	310	155- 155	100/73	880	72

Delta P140	Total Width	Working Width	Side- Shift	Min. suggested horsepower	Weight	No. Of Blades
	cm	cm	cm- cm	HP/KW	Kg	42
180	212	185	92-93	90/66	710	42
205	232	210	105- 105	95/75	755	48
230	257	235	117- 118	100/73	800	54
255	282	260	130- 130	105/77	845	60
280	307	285	142- 143	110/81	890	66
305	332	310	155- 155	115/84	935	72

Delta P170	Total Width	Working Width	Side- Shift	Min. suggested horsepower	Weight	No. of Blades
	cm	cm	cm-cm	HP/KW	Kg	No.
205	232	210	105- 105	100/73	850	48
230	257	235	117- 118	110/81	900	54
255	282	260	130- 130	120/88	950	60

Delta P170	Total Width	Working Width	Side-Shift	Min. suggested horsepower	Weight	No. of Blades
280	307	285	142-143	130/96	1000	66
305	332	310	155-155	140/103	1050	72

Delta TF 280	Total Width	Working Width	Min. suggested horsepower	Weight with Cage Roller	Weight with Roller Spikes	Weight with Packer Roller	Weight with Spiral Roller	No. of Blades
	cm	cm	HP/KW	Kg	Kg	Kg	Kg	No.
450	465	441	180/132	3070	3070	3370	3190	102
500	515	491	200/147	3220	3220	3520	3340	114
550	565	541	220/162	3370	3370	3670	3490	126

Total width in folded position is 264cm